

# DURADENT™ - Bondable Lingual Retainer

	ITEM NO.
Retainer	LTST

**.010" x .028"**  
**3-flex twisted**  
**10 wires / pack**



**MORE WIRES  
AVAILABLE AT**  
[www.adenta.com](http://www.adenta.com)

## FLEXADENT™ - NiTi Open Coil Springs

- Continuous force delivery throughout activation
- Ideal for space opening
- Available in straight length or as spool



	STRAIGHT	SPOOL
.009" x .030"	FONT5	FONTS1
.010" x .030"	FONT1	FONTS4
.011" x .030"	FONT6	FONTS6
.012" x .030"	FONT2	FONTS5
.010" x .036"	FONT7	FONTS7
.014" x .036"	FONT3	FONTS8
.010" x .045"	FONT4	FONTS2
.012" x .045"	FONT8	FONTS3

**3 straight wires  
à 17.5 cm / pack**

**38 cm on spool**

## FLEXADENT™ - Closed Coil Spring with Eyelets

- Long lasting form stability
- 6 mm springs with variable force levels according to activation distances
- 9 mm and 12 mm with constant force levels



	9 mm		12 mm	
		Force range		Force range
.009" x .038" - Super light	PFGNT0	120 Gramms	PFGNTL4	120 Gramms
.010" x .038" - Light	PFGNT1	180 Gramms	PFGNTL1	180 Gramms
.011" x .042" - Medium	PFGNT2	250 Gramms	PFGNTL2	250 Gramms
.012" x .042" - Heavy	PFGNT3	300 Gramms	PFGNTL3	300 Gramms

	6 mm	
		Force range
.010" x .030" - Light	FGNTS1	100-300 Gramms
.011" x .030" - Medium	FGNTS2	150-400 Gramms
.012" x .030" - Heavy	FGNTS3	280-600 Gramms

**3 springs / pack**

## FLEXADENT™ - Molar Distalizing Spring

- Inner diameter .045"
- Suitable for all wires

	Force range	SPOOL	STRAIGHT
.010" x .045"	50-120 Gramms	DSSM10x45	DSML10x45
.009" x .036"	80-180 Gramms	DSSL9x36	DSLL9x36
.011" x .045"	80-200 Gramms	DSSH11x45	DSSHL11x45
.010" x .036"	100-140 Gramms	DSSM10x36	DSML10x36
.011" x .036"	130-250 Gramms	DSSH11x36	DSHL11x36



**3 straight wires  
à 17.5 cm / pack**

**38 cm on spool**

## FLEXADENT™ - NiTi Class-II Spring

	Force range	SPOOL
.007" x .030"	bis 75 Gramms	NTC27x30
.007" x .026"	bis 85 Gramms	NTC27x26
.007" x .024"	bis 90 Gramms	NTC27x24
.007" x .020"	bis 125 Gramms	NTC27x20



**1 spring incl.  
ligature wire / pack**

## STAINLESS STEEL Closed & Open Springs

- Spring hardened stainless steel
- The economic alternative to NiTi
- Easily formable

	CLOSED	OPEN
.010" x .028"		ST-SPC10x28
.010" x .030"	ST-SPE10x30	ST-SPC10x30
.010" x .036"		ST-SPC10x36




**38 cm on spool**

## STAINLESS STEEL Kobayashi Ligature Ties

	LONG	SHORT
.010"	ST-KTL10	
.012"	ST-KTL12	ST-KTS12
.014"	ST-KTL14	ST-KTS14

**100 ties / pack**



## STAINLESS STEEL Ligature Ties

	LONG	SHORT
.008"	ST-LWL8	
.009"	ST-LWL9	
.010"	ST-LWL10	ST-LWS10
.012"	ST-LWL12	

**1,000 long ties / pack  
500 short ties / pack**



## MINI-STOPPS closed incl. positioning aid

- Easy handling and placement of crimpable tube stops on archwires
- Pre-loaded with either Small or Large crimpable tube stops

	INNER DIAMETER	ITEM NO.
For round wires from .012" up to .018"	.019"	ST-TST
For rectangular wires from .014"x.025" up to .019"x.025"	.031"	ST-TLT

**10 stops incl. positioning aid / pack**



## CRIMPABLE BALL HOOKS



	ITEM NO.
Right	SSBHR
Left	SSBHL
Straight	SSBHS

**10 stops / pack**

## C-STOPPS OPEN



	ITEM NO.
STOPPS	C-STOP

**10 stops / pack**


## MINI SPLIT STOPPS




	ITEM NO.
STOPPS	S

**10 stops / bar  
10 bars / pack**

## QUAD HELIX - for straight or curved sheath



SIZE	LENGTH X in mm	LENGTH Y in mm	STRAIGHT SHEATH	CURVED SHEATH
1	11.5	45	HQ-2431G	HQ-2431
2	14.5	50	HQ-2432G	HQ-2432
3	16.5	55	HQ-2433G	HQ-2433



## PALATAL BAR - „Goshgarian“

- Preformed for straight sheath with distal coffin loop
- From 0.9 mm Stainless Steel



SIZE in mm	ITEM NO.
34	PB034
37	PB037
39	PB039
41	PB041
43	PB043
45	PB045
47	PB047
49	PB049
53	PB053
55	PB055
57	PB057



# BONDABLE BUTTONS

CNC-milled bondable button with high undercuts and **curved, round base**

ITEM.NO.

LGB-BB



10 pcs / pack



CNC-milled bondable button with high undercuts and **flat, round base**

ITEM.NO.

LGB-GB



10 pcs / pack



Flat bondable button with **curved mesh pad**

ITEM.NO.

LGB-BB-MIM

10 pcs / pack



Flat bondable buttons with **elliptic, curved pad**

ITEM.NO.

LGB-DRS

10 pcs / pack



Flat bondable button with **round, flat mesh pad**

ITEM.NO.

LGB-DRS-F

10 pcs / pack



Ceramic bondable button with **curved base** and mechanical undercuts - do not use with primer!

ITEM.NO.

LGB-K

10 pcs / pack



## TOP FIT LOW PROFILE TRUMPETED single non-convertible

- Comfortable low profile
- Mesial trumpeted entrance for easy wire insertion
- Anatomically shaped base



		BONDABLE TUBES					
		TOOTH	Torque	Offset	M/D in mm	.018"	.022"
ROTH*		16/17	-10°	8°	4,3 mm	IO-SNCB-3821E	IO-SNCB-3221E
		26/27	-10°	8°	4,3 mm	IO-SNCB-3822E	IO-SNCB-3222E
		36/37	-25°	5°	4,3 mm	IO-SNCB-5822E	IO-SNCB-5222E
		46/47	-25°	5°	4,3 mm	IO-SNCB-5821E	IO-SNCB-5221E
MBT*		16/17	-14°	10°	4,3 mm	IO-SNCB-7821E	IO-SNCB-7221E
		26/27	-14°	10°	4,3 mm	IO-SNCB-7822E	IO-SNCB-7222E
		36/37	-20°	0°	4,3 mm	IO-SNCB-1822E	IO-SNCB-1222E
		46/47	-20°	0°	4,3 mm	IO-SNCB-1821E	IO-SNCB-1221E



## TOP FIT LOW PROFILE TRUMPETED Single convertible

- Comfortable low profile
- Mesial trumpeted entrance for easy wire insertion
- Anatomically shaped base



		BONDABLE TUBES					
		TOOTH	Torque	Offset	M/D in mm	.018"	.022"
ROTH*		16/17	-10°	8°	3,5 mm	SCB-805E	SCB-205E
		26/27	-10°	8°	3,5 mm	SCB-806E	SCB-206E
		36/37	-25°	5°	3,5 mm	SCB-808E	SCB-208E
		46/47	-25°	5°	3,5 mm	SCB-807E	SCB-207E
MBT*		16/17	-10°	8°	3,5 mm	SCB-805E	SCB-205E
		26/27	-10°	8°	3,5 mm	SCB-806E	SCB-206E
		36/37	-20°	0°	3,5 mm	SCB-816E	SCB-216E
		46/47	-20°	0°	3,5 mm	SCB-815E	SCB-215E



## TOP FIT - Classic bondable tubes

### Double convertible

		BONDABLE TUBES					
		TOOTH	Torque	Offset	M/D in mm	.018"	.022"
ROTH*	16/17	-10°	8°	3,5 mm	DCB-805E	DCB-205E	
	26/27	-10°	8°	3,5 mm	DCB-806E	DCB-206E	
	36/37	-25°	5°	3,5 mm	DCB-808E	DCB-208E	
	46/47	-25°	5°	3,5 mm	DCB-807E	DCB-207E	
MBT*	16/17	-10°	8°	3,5 mm	DCB-805E	DCB-205E	
	26/27	-10°	8°	3,5 mm	DCB-806E	DCB-206E	
	36/37	-20°	0°	3,5 mm	DCB-816E	DCB-216E	
	46/47	-20°	0°	3,5 mm	DCB-815E	DCB-215E	



10 pcs / pack

## TOP FIT - Classic bondable tubes

### Single non-convertible

		BONDABLE TUBES					
		TOOTH	Torque	Offset	M/D in mm	.018"	.022"
ROTH*	16/17 36/37	-10°	0°	3,5 mm	SNCB-831E	SNCB-231E	
	26/27 46/47	-10°	0°	3,5 mm	SNCB-832E	SNCB-232E	
	36/37	-25°	5°	3,5 mm	SNCB-828E	SNCB-228E	
	46/47	-25°	5°	3,5 mm	SNCB-827E	SNCB-227E	
	16/17	-14°	10°	3,5 mm	SNCB-833E	SNCB-233E	
MBT*	26/27	-14°	10°	3,5 mm	SNCB-834E	SNCB-234E	
	36/37	-25°	5°	3,5 mm	SNCB-828E	SNCB-228E	
	46/47	-25°	5°	3,5 mm	SNCB-827E	SNCB-227E	
STD. EDGW.*	16/17 36/37	0°	0°	3,5 mm	SNCB-821E	SNCB-221E	
	26/27	0°	0°	3,5 mm	SNCB-822E	SNCB-222E	
	46/47	0°	0°	3,5 mm	SNCB-822E	SNCB-222E	



10 pcs / pack

## TOP FIT MINI LOW PROFILE - Bondable tubes

### 2<sup>nd</sup> Molar - Single non-convertible

		BONDABLE TUBES					
		TOOTH	Torque	Offset	M/D in mm	.018"	.022"
ROTH & MBT*	17	-14°	0°	2,5 mm	MB-831	MB-231	
	27	-14°	0°	2,5 mm	MB-832	MB-232	
	37	-25°	0°	2,5 mm	MB-834	MB-234	
	47	-25°	0°	2,5 mm	MB-833	MB-233	
STD. EDGW.*	17/37	0°	0°	2,5 mm	MB-821	MB-221	
	27/47	0°	0°	2,5 mm	MB-822	MB-222	



10 pcs / pack



**WELDED MOLAR BANDS - incl. buccal tube and lingual attachment of your choice!**

**AVAILABLE BUCCAL TUBES**

- UP & LO Single non-convertible ROTH\* & MBT\*, .018" & .022"
- UP & LO Double convertible ROTH\* & MBT\*, .018" & .022"
- UP Triple convertible ROTH\* & MBT\*, .018" & .022"
- LO Lip Bumper ROTH\* & MBT\*, .018" & .022"



**AVAILABLE LINGUAL ATTACHMENTS**

- Lingual sheat with / without window or curved
- Lingual cleat small & wide

**10 pcs / size and combination / pack**

**CHANGING ZONE**

Have your existing band sizes measured by Adenta and **UPGRADE** 1:1 to Adenta's **quality bands!**

